



NEWS WORLD WU COMPANY
詠勝昌股份有限公司

Terminals

		
701 L=49.80mm	702 L=50.50mm	704 A=105 deg
		
706 A=90 deg	707 L=32.30mm	708 A=90 deg
		
709 L=17.50mm	710 L=21.50mm	711 L=26.00mm
		
712 L=31.00mm	714 A=115deg	
		
715 L=65.50mm	716 L=53.00mm	
		
717 L=53.00mm	731 L=21.50mm	737 A=90 deg



NEWS WORLD WU COMPANY
詠勝昌股份有限公司

Terminals

718set  BF		
718 A=90 deg	719 A=90 deg	720 L=58.00 mm
		
722 L=21.00 mm	724 A=110 deg	727 L=51.70 mm
 7 8		
728 Stainless & Copper A=90 deg	729 A=90 deg	730 L=21.50 mm
 7 7		
732 Stainless & Copper A=90 deg	733 L=116.00 mm	
		
929N A=105 deg	GT4 A=90 deg	CT8 L=38.60 mm

		
926 L=36.50mm	927 L=39.20mm	929 A=110 deg
		
930 L=22.00mm	931N L=21.50mm	931 Copper L=21.5mm
		
932 L=20.50mm	932 Copper L=20.5mm	934 L=23.50mm
		
937 Stainless & Copper A=90 deg	947 L=52.5mm	
		
936 L=38.00mm		

		
501 L=38.70mm	502 L=50.60mm	503 L=27.50mm
		
504 A=110 deg	505 A=90 deg	506 A=90 deg
		
507 A=90 deg	508 L=20.50mm	509 L=18.50mm
		
C7T L=91.8mm	GT5 A=90 deg	